

## Kleen Air Automatic Metered Aerosol Dispenser

Part Number	Description	
8150997	<ul> <li>Provides accurate and reliable dispensing of metered aerosols</li> </ul>	
	<ul> <li>Features include a wide range of en- hancements not available elsewhere</li> </ul>	
	<ul> <li>Side hinged door provides easy access for can or battery changes</li> </ul>	JEN-N-FRESH
	<ul> <li>Programmable interval settings 7.5/15/30 minutes</li> </ul>	BATERIOY Description of the state of the sta
	Exterior on/off switch	THE WORK OF THE PARTY OF THE PA
	<ul> <li>"Empty Can" warning light illuminates at 3000 sprays before can is empty at 3400</li> </ul>	
	<ul> <li>"Battery Low" warning light illuminates before the end of the usable battery life</li> </ul>	
	Lockable for theft and vandalism deter- rence	

#### **Kleen -N- Fresh Scents**

- Dispenses millions of tiny odor killing droplets into the air with each metered spray
- Not just another odor mask
- Each can delivers 3400 sprays

Part Number	Choice of Scents
0190116	Bayberry
0190726	Mango
0190556	Pina Colada
0190546	Cranberry Spice
0190566	Lemon Peel
0190736	Fruit Basket

## Kleen -N- Fresh Start Up Kit

Part Number	Includes
8140999	1 Kleen Air Dispenser
	6 Cans of Kleen -N- Fresh



### **Sure Shot Sprayers**

- Heavy duty steel construction, built to last, nothing to break
- Interchangeable spray nozzles. Choose jet stream or mist spray.
- Little or no chance of flame or explosion from butane or propane based propellents. Pressurized by free air.
- Refillable, reusable, not a throwaway. Buy products in bulk and make your own aerosols the money saving common sense way at up to 1/8 the cost of ready mades.

Part Number	Description
8150110	1 Quart Capacity
8150043	16 Oz Capacity



Many aerosols contain as little as 65% product. Cans, labels, propellent and filling add up to as much as 80% of the cost of a 16 oz. can

## **Special Offer**

### Receive 1 Sure Shot dispenser free with 5 gallons of:

Promo Number	Contains
8990001	5 Gallons Chem-gon / Sure Shot
8990002	5 Gallons Envirobrake / Sure Shot
8990003	5 Gallons Unlox / Sure Shot



### **Mixing Station**

- Quickly blends the desired mixture of your chemical concentrate and water, with just the push of a button.
- No need to ever mix by hand again.
- No electrical connection required.
- Each mixing valve has 9 color coded, threaded flow tips to provide positive mix ratios, accurately and consistently without chemical waste.
- Comes assembled with a 4 g.p.m. Venturi tube. An optional, field changeable, 1 g.p.m. Venturi tube is also shipped with each Mixing Station for maximum flexibility and minimum inventory.
- Available in 1, 2, 3 and 4 product stations
- Up to 18 mix ratios per product valve
- Built in back flow prevention
- · Rugged, streamlined all stainless steel case
- Choice of color push buttons: red, blue, green, yellow and white
- Optional lock down button
- Tested and approved in conformance with ASSE standard 1011 & CSA B664.2

Promo Number	Description
8150001	1 Product Station
8150002	2 Product Station
8150003	3 Product Station
8150004	4 Product Station







## **Drum Pump**

- Can be assembled and attached to drum in seconds
- Fits any 15, 30 or 55 gallon drum with either 3/4" or 2" openings
- Extension tubing and clamps are supplied with the pump

Part Number	Description	
8150024	Drum Pump	

## **Bung Wrench**

- New design works with most surfaces and shapes to fit virtually all drum plugs.
- Works with steel, fibre or plastic drums.
- Solid ductile iron one piece construction for durability.
- Generous size for extra leverage and hand clearance.

Part Number	Description
8150724	Drum Plug Wrench



#### **Parts Washer**

#### Filter Features:

- Extruded aluminum casing and center tube
- Machined aluminum filter retaining nut
- Cast aluminum cap and base assemblies
- Replaceable 2 micron filter element
- Non-swelling fiberglass element (Comparable units use paper elements that tend to swell in water based solvents.

Part Number	Description	
8150730	Parts Washer	BUILDALL



### **Drum Mounted Liquid Proportioners**

- Mixes any liquid product with water in desired proportion.
- Draws from any drum with a 2" bung.
- Delivery rate of diluted product is up to 5-1/2 gpm with a 40 psi water supply. Metering screw for easy adjustment of proportion desired.
- Constructed of PVC and stainless steel with a brass water shut-off valve. Outlet tube can be hooked over rim of drum when not in use to prevent dripping on the floor.

Maximum Proportions		
Product Viscosity	Fluid Ounces Per	
Centipoise	Gallon Of Water	
1 (water)	23	
75 (SAE 10 oil)	13	
220 (SAE 30 oil)	6	



Part Number	Description
8150720	Drum Mounted Liquid Proportioner

### **Faucet Mounted Liquid Proportioners**

- Mixes any liquid product with water in desired proportion.
- Water capacity: 4 gpm at 30 psi
- Draws from container of any size.
- Will lift up to 25' ct reduced proportion
- Supplied with 8' suction tubing, foot valve and container protector disk.

Part Number	Description
8150037	Faucet Mounted Liquid Proportioner





### **Degreaser Gun**

Part Number	Description
8150200	Degreaser Gun

## **Grime Blaster Degreasing and Cleaning Gun**

- Unique dual function gun applies degreasing cleaners plus pressure washes surfaces with a powerful air/water blast
- 18" stainless steel wand
- 1/4" NPT inlet in insulated handle
- Use 4 cfm at 70 PSI from minimum 1 hp compressor

Part Number	Description	
8150019	Degreasing Gun	- MIDG



#### **Electro-Magic Dirt & Grime Busters**

#### **PUMP**

Our high-quality pumps are engineered with crankshafts and rod assemblies that run in oil for quieter operation and feature: Large, aluminum die-cast oil-bath crankcases, ceramic plungers with double pressure seals, check valves with stainless steel seats. Belt drive reduces vibration and eliminates the need for high-speed pumps which are noisier, and provides a safety net for your pump.

#### **MOTOR**

High quality single phase motors have dual capacitors to provide high starting performance and low running currents. Specifically designed to meet the demands of the pressure washing industry.

#### **COLD WATER WRAP**

Our coil actually forms the combustion chamber, there is no trouble-some insulation, no hot chambers. When incoming cold water flows through the cold water wrap, it absorbs heat as the coil forms the wall. The water is preheated 40' to 80' prior to the heating portion of the coil. This provides greater fuel efficiency, less fuel used, and less operating costs to you. The even spirals allow better air flow which in turn provides better combustion and greater fuel efficiency.

## BALL BEARING PNEUMATIC WHEELS

With grease zerks and tube type tires, means they are repairable.

#### **HOSE**

50 feet of wire braid hose with 360 degree swivel on the wand end of the hose. Plus, all nozzles are quick coupled to the wand for your convenience.


#### **FUEL FILTER**

Replaceable fuel filter with clear container allows you to quickly check for water or dirt. The bottom drain on the filter quickly disposes of water and dirt contaminants.

## HEAVY STEEL CONSTRUCTION

Wrappers and tanks are of 16 gauge metal and 11 gauge base plates. Heavy gauge steel provides 2 major benefits for you. First, it prevents early rust out problems. Second, the heavy weight steel absorbs the vibration and peak pressures, reducing the wear and tear on all moving parts.











## **DIRT BUSTER**


#### 1100 250-35CG OPERATING PRESSURE 350 PSI 250 PSI STEAM DISCHARGE CAPACITY 2 GPM 3 GPM **CLEANERS** WATER TRIPLEX OIL BATH PUMP PUMP MOTOR 3/4 HP 2.3 HP VOLTAGE PHASE /CYCLE 1 PH 60 CYCLE 1 PH, 60 CYCLE NATURAL ASPIRING BURNER POWER, NATURAL /GAS FUEL WAND HOSE 3/8" x 50 COIL SIZE 7/8" od x 154' 7/8" od x 243 455 LBS. 575 LBS.

## **GRIME BUSTER**

MODEL & DESCRIPTION	1100-3	1400-4	2000-3	1800-5	2200-4
OPERATING PRESSURE	1100 PSI	1400 PSI	2000 PSI	1800 PSI	2200 PSI
DISCHARGE CAPACITY	3 GPM	4 GPM	3 GPM	5 GPM	4 GPM
WATER RESER- VOIR	2 GAI	2 GALLON STAINLESS STEEL / CONTINUOUS FEED FLOAT CONTROLLED			
WATER PUMP	TRIPLEX OIL BATH	TRIPLEX OIL BATH	TRIPLEX OIL BATH	TRIPLEX OIL BATH	TRIPLEX OIL BATH
PUMP DRIVE	BELT	BELT	BELT	BELT	BELT
PUMP MOTOR	2.3 HP	4 HP	4 HP	6 HP	6 HP
VOLTAGE	115 v.	220 v.	220 v.	220 v.	220 v.
PHASE & CYCLE	1 PH, 60 Hz	1 PH, 60 Hz	1 PH, 60 Hz	1 PH, 60 Hz	1 PH, 60 Hz
BURNER MOTOR	1/5 HP, 115 v.	1/5 HP, 220 v.	1/5 HP, 220 v.	1/5 HP, 220 v.	1/5 HP, 220 v
FUEL	KER	OSENE, #1 OF	R #2 FUEL OIL	OR DIESEL F	UEL
FUEL TANK	10 Gal.	10 Gal.	10 Gal.	10 Gal.	10 Gal.
TEMPERA- TURE	UP TO 210 DEGREES F	UP TO 210 DEGREES F	UP TO 210 DEGREES F	UP TO 210 DEGREES F	UP TO 210 DEGREES F
TRIGGER CONTROL			STANDARD		
HOSE		3/8" x 50' W	IRE BRAID HI-	PRESSURE	
COIL	7/8" od x 154'	7/8" od x 154'	7/8" od x 154'	7/8" od x 221'	7/8" od x 154
SHIPPING WEIGHT	455 Lbs.	500 Lbs.	500 Lbs.	700 Lbs.	675 Lbs.

\*HELICAL WOUND STEEL TUBING

## **DIRT BUSTER**





# Offering the Best in Cold and Hot Water Pressure Washers!

#### **HEAVY DUTY HOT WATER PRESSURE WASHERS**



## 2.0 GPM @ 1400 PSI Electric Drive Model CP-1400-2EHE

\$2,889

115V 1 PH 20 Amp electric motor • diesel fired burner with cool touch coil • 2 pneumatic wheels • 36" trigger wand • 50' hose • 2 nozzles • 8 gallon fuel tank • detergent injector • GFI • direct drive triplex plunger pump



#### 3.0 GPM @ 2000 PSI Electric Drive

#### Model CP-2000-3EHE

\$3,089

230V 1 PH 20 Amp electric motor • diesel fired burner with cool touch coil • 2 pneumatic wheels • 36" trigger wand • 50' hose • 2 nozzles • 8 gallon fuel tank • detergent injector • GFI • direct drive triplex plunger pump



## 2.0 GPM @ 1000 PSI Electric Drive Model CP-1000-2DB4

\$3,179

115V 1 PH 20 Amp electric motor • diesel fired burner • 1 1/2 gallon float tank • 4 pneumatic wheels • 36" trigger wand • 50' hose • 2 nozzles • 9 gallon fuel tank • detergent injection • GFI • belt drive triplex plunger pump



### 3.0 GPM @ 1100 PSI Electric Drive

#### Model CP-1100-3

\$3,919

115V 1 PH 20 Amp electric motor • diesel fired burner •2 gallon stainless steel float tank • 3 wheel configuration • 36" trigger wand • 50' hose • 2 nozzles • 10 gallon fuel tank • detergent injection • GFI • belt drive triplex plunger pump



#### 3.0 GPM @ 2000 PSI Electric Drive

#### Model CP-2000-3

\$4,189

220V 1 PH 20 Amp electric motor • diesel fired burner • 2 gallon stainless steel float tank • 3 wheel configuration • 36" trigger wand • 50' hose • 2 nozzles • 10 gallon fuel tank • detergent injection • belt drive triplex plunger pump



## 2.0 GPM @ 250 PSI STEAMER Electric Drive

Model CP-1100-3

\$3,919

115V 1 PH 20 Amp electric motor • diesel fired burner • 2 gallon stainless steel float tank • 3 wheel configuration • 36" open gun wand • 50' hose • 10 gallon fuel tank • detergent injection • GFI • belt drive triplex plunger pump

#### **HEAVY DUTY COLD WATER PRESSURE WASHERS**



## 2.0 GPM @ 1400 PSI Electric Drive Model CP-1400-2EE

\$999

Pneumatic wheels • 2 HP 115V 1 PH 20 Amp • direct drive triplex plunger pump • detergent injector • 24" hand trigger wand • 25' hose • 4 nozzles



## 3.0 GPM @ 2000 PSI Gasoline Drive Model CP-2000-3GE

\$1,299

Pneumatic wheels • 6.5 HP Briggs & Stratton Intek gasoline engine • direct drive triplex plunger pump • detergent injector • 36" hand trigger wand • 50' hose • 4 nozzles

SPECIAL - 20% DISCOUNT - WHEN PURCHASED WITH A 55 GALLON DRUM OF CLEANING SOLUTION.

IMPACT- PART NO 8140553 A heavy duty product for use in pressure washers with a unique blend of wetting and emulsifying agents that provide superior ability to penetrate the toughest soils. Soils are held in suspension to prevent deposition. Rinsing is complete, leaving a surface that is free from residue. USDA A-4. Dilute with 20 to 50 parts water.

TERGE OFF 32 - PART NO 8140323 A caustic heavy duty solution designed for maximum emulsification of heavy grease, oil and old paint accumulations. The impact of high pressure and heat together with the chemical power of this highly concentrated cleaning liquid make even the most stubborn steam cleaning operations easier and faster. Not recommended for use on aluminum, galvanized or other reactive metals. USDA A-4, A-8. For steam cleaners that premix before going to coils, dilute with 20 parts water. For direct feed cleaners, dilute with 80 parts water.

TERGE OFF 31 - - PART NO 8140313 A concentrated liquid steam cleaner that is noncorrosive, nonfuming and safe for food processing areas. It was designed for indoor or outdoor use to remove grease, oil, grime, soil, dirt and sludge from steel, aluminum and painted surfaces. USDA A-1. For steam cleaners that premix before going to coils, dilute with 20 parts water. For direct feed cleaners, dilute with 80 parts water.



FOSTER AND COMPANY INC 15 Wing Drive Cedar Knolls, NJ 07927 973-267-4100 www.fostercomfg.com



### **Spray Foamer**

- Accurately mixes and sprays foaming chemicals
- · Foam generating wand creates a thick, clinging foam
- Detach handle for a powerful spray rinse
- · Easy to fill wide mouth, chemical resistant polyethylene quart bottle

Part Number	Description	
8150260	Spray Foamer - Quart	Non- and Displaying International State of the State of t

### **Wash Gun Heavy Duty Sprayer**

- Accurately mixes cleaners or sanitizers with water as you spray
- · Exclusive rinse lever switches to rinse instantly
- All brass mixing head, metering stem and internal parts for long, trouble free operation

	, motoring otom and internal parts for long, as	
Part Number	Description	
8150018	Wash Gun	inse-end De Constitution De Co

## **Compression Tank Sprayer**


- Translucent tanks and poly wands with adjustable tips
- Locking "D" type pump/carry handle

Part Number	Description	
8150012	3 Gallon Compression Sprayer	
8150015	1.5 Gallon Compression Sprayer	BAY

### **Acid Cleaning Gun**

- Specially designed for cleaning aluminum trailers.
- Special metering disc provides four acid strength settings: 3:1, 4:1, 5:1 & 6:1.
- Patented plunger valve permits head to be quickly changed from acid spraying to water rinsing.
- Economical and effective for all types of acid and detergent cleaning.
- No hazardous pre-mixing of acids and water; mixing is performed in the mixing head as the acid is drawn from the container.
- Precision tooled all brass valve assembly, leakproof construction.
- Tooled brass mixing head and control device.
- Chrome-plated pistol grip water control nozzle with adjustable spray deflector.
- Works effectively with water pressure of 40 lbs. Or more; sprays up to 15 feet high
- Full 1 quart (32 oz.) polyethylene bottle attached.
- Also available with 3 ft. Rubber syphon hose and 1 gallon polyethylene jug and shoulder strap.

Part Number	Description
8150160	Acid Cleaning Gun
8150161	1 Gallon Polyethylene Jug with Shoulder Strap



## **Acid Cleaning Wand**

- Engineered for hi-pressure cleaning of aluminum trailers
- Precision tooled all brass, dual barrel spray head
- 2 ft. or 4 ft. (8 ft. Also available) permits operator to reach and clean those high and difficult areas effectively.
- Positive metering to immediately increase or decrease strength of acid.
- Patented plunger valve permits head to be quickly changed from acid spraying to water rinse.
- Requires no pre-mixing of acid. Only water passes through the pump, greatly extending pump life (Other sprayers require pre-mixing of acid which passes through the pump and soon causes trouble)
- For use with 300 (min) to 600 psi high pressure pumps having at least 2 gallons per minute capacity.
- Includes 6' rubber syphon hose (will not rot or harden)

Part Number	Description	
8150017	Acid Cleaning Wand	





## **Chemical Feed Pump**

- · A compact, diaphragm-type injector pump
- Equipped with a 115v/60 hz motor and 3/8" o.d. connections
- · Max feed rate of 2.4 gph
- Polypropylene cartridge style pump head, teflon coated ethylene propylene diaphragm & Viton o-ring seals

Part Number	Description	
8150150	Chemical Feed Pump	CHEM-FEED and any arrangement of the state o

### **Knight Watch**

A microprocessor based chemical dispensing system for grease traps, drains and odor control. This easy to use system stores up to 20 dispensing events per day, programmable by day, minutes or seconds. With an addition of the misting kit, becomes and advanced chemical spray system designed to spray deodorizing or sanitizing mist in a variety of applications such as trash compactors, roll-away garbage bins and other trash depositories.

- Microprocessor based controls
- High impact thermoplastic, watretight case
- LCD display
- Self priming
- Wall or shelf mounting
- Non-volatile program memory
- 115 volt transformer or 6 volt batteries

Part Number	Description	
8150005	Knight Watch	
	, and the second	





## **Hi-Pressure Lever Type Grease Gun**

Part Number	Description	
8150010	Size-O-matic plunger - automati- cally sizes itself for any use	
	Hi-tension spring for multiple duty	
	EZ vent cap relieves airlock by un- screwing gun barrel one half turn	AT .
	Automatic handle stop prevents damage of binding piston	
		<b>I</b>

#### **Hand Lever Grease Gun**

Part Number	Description	
8150014	<ul> <li>Easy one-handed greasing</li> <li>Loads 3 ways</li> <li>5,000 psi or more</li> <li>Equipped with EZ vent valve features</li> </ul>	

## **Grease Gun Hose**

Part Number	Description	
8150027	Grease Gun Replacement Hose	F'S

## Air Operated Grease Gun

Part Number	Description	S100 S100 S100 S100 S100 S100 S100 S100
8150036	Delivers 1500-9000 psi each time the trigger is squeezed	
	<ul> <li>Easy 3 way loading; by standard</li> <li>14 oz. cartridge, bulk loader fitting on head cap or suction filled</li> </ul>	
	<ul> <li>Rugged steel and die cast zinc construction</li> </ul>	
	<ul> <li>Comes complete with flexible 18" grease whip hose and standard grease coupler</li> </ul>	



#### Mini Lube

#### A New and Innovative Greasing System

The Mini-lube is unique. In fact, there is no comparable product on the market today. The Mini-Lube is a compact, lightweight, portable greasing system, yet has the ability to generate greasing pressure associated with the more expensive power operated lubrication systems.

- Easy to operate; simply push down on pump with hand or foot for 30 grease shots.
- Rubber-edged follower to help seal out dirt and prevent air locks.
- Two grease guns in one increases productivity. A single handle gun
  with a unique built-in switch provides high volume for fast greasing or
  high pressure for a surge of power to clear blocked zerks.
- Gives high pressure greasing up to 10,000 PSI.
- Six foot flexible grease hose with 360 swivel.
- Mini-Lube has proven itself as the ideal way to protect your investment in today's expensive machines. It is now available with our greases that are packed in the seven pound can. It is intended for use in all types of industry including: automotive, agriculture, construction, trucking, mining, oil field, marine, municipalities, manufacturing, heavy equipment, and the concrete industry.

٠	

Part Number	Description
8150800	Mini Lube
8150801	Flex Extension



### **Gritty Dispenser**

- Space saving large capacity; greater capacity means fewer change outs
- Ultimate view window created by the unique bag-in-bottle design; soap level is easily inspected without spending time opening cabinets
- Sealed bag of hand cleaner is "suspended" inside the bottle, improving soap evacuation and reducing waste
- · Durable construction and completely waterproof
- Simple loading saves time

Part Number	Description
8150777	Gritty Dispenser
8320615	Gritty 2000 ml Bag
8140417	Gritty 16 oz. Squeeze tube
8320625	Gritty Orange 2000 ml Bag
8140427	Gritty Orange 16 oz. Squeeze tube



#### **Wall Bracket**

Part Number	Description	
8150967	Wall Bracket for One Gallon Jugs	

## **Soap Dispenser**

Part Number	Description	
8150051	Soap Dispenser for One Gallon Jugs	
		7





## **Lever Soap Dispenser**

- 85 oz. Capacity
- Large opening for quick filling
- Can be used with lotion and liquid soap products
- See-thru tank for easy viewing

Part Number	Description	
8150050	Lever Soap Dispenser	
		THE RESERVE TO SERVE THE PARTY OF THE PARTY
		SECOND COMMENTS SECOND
		THE RESERVE OF THE PARTY OF THE
		(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)
		00000



## **Foamer Trigger Sprayer**

Part Number	Description	
8150097	Foamer Trigger Sprayer	The second second

## **Pint Bottle Sprayer**

Part Number	Description	
8150022	Pint Bottle Sprayer	9
8150090	Pint Spray Head	

## **Quart Bottle Sprayer**

Part Number	Description	
8150021	Quart Bottle Sprayer	125
8150095	Quart Spray Head	



## **Nitrite Tester**

Part Number	Description	
8150394	Nitrite Tester	LCIMOTE  NITRIE DROP  Coal Paris  Table  Tab

## **Pump Hose**

Part Number	Description	
8150025	<ul> <li>Clear vinyl hose</li> <li>1/2" x 8'</li> <li>Garden hose connection with curved nozzle</li> </ul>	



## **Gear Pump Lubricator**

- Gear Unit has 8 pint badger meter
- 5 foot 1/2 inch I.D.
- Non-drip nozzle
- Drum cover and dolly

## **Chassis Pump Lubricator**

- 40:1 ratio
- 6 foot hose swivel
- Control valve
- Air coupler
- Drum cover and dolly

Part Number	Description	
8150101	Gear Pump	
8150100	Chassis Pump	
		de