

SECTION 1 - MANUFACTURER INFORMATION

MANUF/DIST : CYBERBOND L.L.C./ FOSTER AND COMPANY, DISTRIBUTOR
401 North Raddant Rd EMERGENCY PHONE..... : 630-761-8900
PREPARATION/REVISION DATE: 02/14/02
Batavia, Illinois 60510
PREPARER/CONTACT: Lawrence Serkanic 24 hr 800-424-9300
LOCATION : Whs 1

TRADE NAME/SYNONYMS...: Apollo 2999
CHEMICAL NAME/SYNONYMS: Instant Adhesive
CHEMICAL FAMILY.....: Cyanoacrylate Adhesives
FORMULA.....: Mixture of Cyanoacrylates
PRODUCT CODE.....: 80-3000 A

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS)

*
* HEALTH..... 2 *
* FLAMMABILITY.. 2 *
* REACTIVITY.... 1 *
* PROTECTION.... C *

SECTION 2 - HAZARDOUS INGREDIENTS

THIS PRODUCT CONTAINS HAZARDOUS INGREDIENTS : YES

CHEMICAL/COMMON NAME	CAS-NUMBER	%	PEL-OSHA	TLV-ACGIH
Ethyl 2 Cyanoacrylate	7085-85-0	80-90	N/I	N/1
Polymethyl Methacrylate	137-05-3	5-10	N/I	N/I
Fumed Silica	112945-525	5-10	N/I	N/I

THIS PRODUCT CONTAINS CARCINOGENS (NTP, IARC, or OSHA):NO

CHEMICAL/COMMON NAME	CAS-NUMBER	%	NTP	IARC	OSHA
None listed.	N/A	N/A	N/A	N/A	NIA

SECTION 3 - HEALTH HAZARD DATA

HEALTH EFFECTS (Acute And Chronic)-
CHRONIC: None expected. No target organ effects known or exposure limit estab.
ACUTE: SKIN AND EYE CONTACT: Warning! Cyanoacrylates bond skin rapidly and strongly. May also bond eyelid to eyelid and/or eye. A large drop may cause a burn upon solidification.
INHALATION: Caution! Vapors may cause irritation of bronchial passages. Avoid prolonged inhalation.
ORAL INGESTION: It is almost impossible to swallow cyanoacrylate. The adhesive solidifies and adheres to the mouth. The lips may be stuck together.

LD50 6.76 ml/kg.

CAUTION: Contact with cotton or wool can cause a strong exothermic reaction which can cause burns or fire.

PRIMARY ROUTES OF ENTRY-

Skin contact, eye contact, inhalation

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE-

None known.

EMERGENCY FIRST AID PROCEDURES-

SKIN: Immerse bonded skin in warm, soapy water. Do not force separation.

EYES: Flush thoroughly with lukewarm or tepid water for at least 15 minutes.

Call physician immediately.

INHALATION: Move to fresh air. If irritation persists consult physician. It is unlikely that the small containers provided could supply enough material to cause an inhalation injury.

INGESTION: Mouth saliva should lift the adhesive in 12 to 48 hours. Do not force removal. Do not swallow adhesive when it loosens.

SECTION 4 - CHEMICAL DATA

BOILING POINT (F).....: >150C	SPECIFIC GRAVITY (WATER=1).....: 1.10
VAPOR PRESSURE (mmHg): 0.17	PERCENT VOLATILE BY VOLUME (%): 0
VAPOR DENSITY (AIR=1): <1	EVAPORATION RATE (N/I =1): N/I

SOLUBILITY IN WATER-

Negligible

APPEARANCE AND ODOR INFORMATION-

Colorless liquid with slightly pungent odor.

SECTION 5 - PHYSICAL HAZARD DATA

FLASH POINT (Method Used): 80 C SCC FLAMMABLE LIMITS : Lel=N/I UEL=N/I

EXTINGUISHING MEDIA-

Water, CO2, Foam or Dry Chemical

SPECIAL FIRE FIGHTING PROCEDURES-

Wear full protective equipment including self-contained breathing apparatus.

UNUSUAL FIRE AND EXPLOSION HAZARDS-

CAUTION!! Contact with cotton or wool may result in a strongly exothermic reaction which can cause burns or a fire. Material can float on water and cause fire to spread.

INCOMPATIBILITY (Materials To Avoid)-

Bases, wool and cotton.

SECTION 8 - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE-

Store away from heat and direct sunlight. Keep container closed. Keep dry.

MAINTENANCE PRECAUTIONS-

N/A

OTHER PRECAUTIONS-

Keep out of reach of children!

ADDITIONAL COMMENTS-

Unregulated by DOT.