

SECTION 1 - MANUFACTURER INFORMATION

MANUF/DIST : CHEM-POWER MFG DIV/ FOSTER & CO., INC  
15 Wing Drive EMERGENCY PHONE.....: 973-267-4100  
Cedar Knolls PREPARATION/REVISION DATE: 03/18/03  
NJ 07927  
PREPARER/CONTACT: Gary Adams, Chemist  
LOCATION : Whs 1

TRADE NAME/SYNONYMS...: GLISTEN TIRE AND VINYL SHINE  
CHEMICAL NAME/SYNONYMS: Silicone/Wax Polish (AEROSOL)  
CHEMICAL FAMILY.....: Emulsion  
FORMULA.....: Silicone Polymer Emulsion  
PRODUCT CODE.....: 19-20

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS)

\*\*\*\*\*  
\* \* \* \* \*  
\* HEALTH..... 1 \*  
\* FLAMMABILITY.. 1 \*  
\* REACTIVITY.... 0 \*  
\* PROTECTION.... B \*  
\* \* \* \* \*

SECTION 2 - HAZARDOUS INGREDIENTS

THIS PRODUCT CONTAINS HAZARDOUS INGREDIENTS : YES

CHEMICAL/COMMON NAME	CAS-NUMBER	%	PEL-OSHA	TLV-ACGIH
Water	7732-18-5	>60	N/I	N/I
Dimethylpolysiloxane	63148-62-9	6-18	N/I	N/I
Poly(oxyethylene)/decyl Ether	26183-52-8	1-10	N/I	N/I
Butane	106-97-8	2-8	800 ppm	800 ppm
Propane	74-98-6	2-8	2500 ppm	2500 ppm

THIS PRODUCT CONTAINS CARCINOGENS (NTP, IARC, or OSHA):NO

CHEMICAL/COMMON NAME	CAS-NUMBER	%	NTP	IARC	OSHA
None listed	N/A	N/A	N/A	N/A	N/A

SECTION 3 - HEALTH HAZARD DATA

HEALTH EFFECTS (Acute And Chronic)-  
Minor eye irritation possible.

PRIMARY ROUTES OF ENTRY-  
Eyes.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE-  
None known.

EMERGENCY FIRST AID PROCEDURES-

In case of eye contact, flush with water for 15 minutes. Call physician if any irritation persists.

If swallowed: Consult physician.

SECTION 4 - CHEMICAL DATA

.....

BOILING POINT (F).....: 212	SPECIFIC GRAVITY (WATER=1).....: 0.91
VAPOR PRESSURE (mmHg): 43psi	PERCENT VOLATILE BY VOLUME (%): >90
VAPOR DENSITY (AIR=1): 4.0	EVAPORATION RATE (water =1): 1

SOLUBILITY IN WATER-  
Appreciable, pH=8.96

APPEARANCE AND ODOR INFORMATION-  
White liquid, slight sour odor in aerosol can.

SECTION 5 - PHYSICAL HAZARD DATA

.....

FLASH POINT (Method Used): Non-flam      FLAMMABLE LIMITS : Lel=1.9      UEL=8.5

EXTINGUISHING MEDIA-  
Any. This product will not burn under normal conditions.

SPECIAL FIRE FIGHTING PROCEDURES-  
Keep cans cool to avoid bursting.

UNUSUAL FIRE AND EXPLOSION HAZARDS-  
Exposure to temperatures above 120F can cause cans to burst explosively.  
EXTREMELY FLAMMABLE BY CPSC FLAME EXTENSION TEST. AVOID SPRAYING NEAR FLAME  
AND/OR IGNITION SOURCES.

INCOMPATIBILITY (Materials To Avoid)-  
None known.

HAZARDOUS DECOMPOSITION PRODUCTS-  
In a fire, Silicone Dioxide, Formaldehyde, Carbon Dioxide.

WILL HAZARDOUS POLYMERIZATION OCCUR-  
No.

CONDITIONS TO AVOID FOR POLYMERIZATION-  
None known.

IS THE PRODUCT STABLE-  
Yes.

CONDITIONS TO AVOID FOR STABILITY-  
Store in dry place to avoid rusting of cans.

SECTION 6 - SPILL OR LEAK PROCEDURES  
-----

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED-  
Dike and contain. Be careful to avoid slipping. Soak up and absorb with  
a suitable absorbent. Flush with water.

WASTE DISPOSAL METHODS-

Consult Federal, State or local authorities. This material is not considered  
a hazardous waste by RCRA.

SECTION 7 - EXPOSURE CONTROL INFORMATION  
-----

VENTILATION-

LOCAL EXHAUST: None needed.

SPECIAL... : N/A

MECHANICAL (General): None needed.

OTHER... : N/A

RESPIRATORY PROTECTION-

None needed.

PROTECTIVE GLOVES-

Rubber for repeated or prolonged use.

OTHER PROTECTIVE EQUIPMENT-

Not normally necessary.

OTHER ENGINEERING CONTROLS-

N/I

WORK PRACTICES-

N/A.

HYGIENIC PRACTICES-

N/I

SECTION 8 - SPECIAL PRECAUTIONS  
.....

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE-

Keep from freezing. Keep containers closed.

MAINTENANCE PRECAUTIONS-

N/A

OTHER PRECAUTIONS-

KEEP OUT OF REACH OF CHILDREN!

ADDITIONAL COMMENTS-

Shipping Name: Consumer Commodity, ORM-D.