05-04-03 CSS-14038

MATERIAL SAFETY DATA SHEET **00129** CHEM-POWER DIV/FOSTER & CO

SECTION 1 - MANUFACTURER INFORMATION

MANUF/DIST : CHEM-POWER DIV/FOSTER AND COMPANY, INC. 15 Wing Drive EMERGENCY PHONE.....: 973-267-4100 Cedar Knolls PREPARATION/REVISION DATE: 07/18/03 NJ 07927 DEEDADED (CONTACT: Carry Adams Chemist

PREPARER/CONTACT: Gary Adams, Chemist

LOCATION : Whs 1

TRADE NAME/SYNONYMS...: MULTI-LUBE CHEMICAL NAME/SYNONYMS: Bearing Extreme Pressure Lube CHEMICAL FAMILY.....: Petroleum Hydrocarbon Grease FORMULA.....: Complex Mixture PRODUCT CODE.....: 12-06

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS)

* * * * * * * * * * * * * * * * * * * *
* *
* HEALTH 1 *
* FLAMMABILITY. 1 *
* REACTIVITY 0
* PROTECTION B
* ***********************
* * * * * * * * * * * * * * * * * * * *

SECTION 2 - HAZARDOUS INGREDIENTS

THIS PRODUCT CONTAINS HAZARDOUS INGREDIENTS : YES

CHEMICAL/COMMON NAME	ÇAS-NUMBER	*	%	₽EL-OSHA	TLV-ACGIH
Petroleum Oils	*	*		*	*
Aluminum Complex Soap and extreme pressu	~	Ŷ		~	^
sure additive.*The supplier of this					
mixture considers this information a					
trade secret. Chem Power is attempting					
to secure additional information which					
will preserve these trade secrets and					
also supply better hazard information.					
As information become available, we will					
forward updated MSDS automatically.					

THIS PRODUCT CONTAINS CARCINOGENS (NTP, IARC, or OSHA):NO

	CHEMICAL/COMMON NAME	CAS-NUMBER	%	NTP	IARC	OSHA
N/A		N/A	N/A	N/A	N/A	N/A

05-04-03 CSS-14038

SECTION 3 - HEALTH HAZARD DATA

HEALTH EFFECTS (Acute And Chronic) -EYES: May cause eye irritation. SKIN: Can cause slight skin irritation with prolonged contact. INGESTION: Harmful if swallowed.

PRIMARY ROUTES OF ENTRY-Skin and eyes.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE-None known.

EMERGENCY FIRST AID PROCEDURES-EYES: Immediately flush with water for 15 Minutes. Hold eyes open to rinse entire area. Call physician. INGESTION: If swallowed, drink large quantity of water and call physician. SKIN: Wash with mild soap and water.

SECTION 4 - CHEMICAL DATA

BOILING POINT (F)...: 374+
VAPOR PRESSURE (mmHg): <.01
VAPOR DENSITY (AIR=1): N/ASPECIFIC GRAVITY (WATER=1)....: 0.91
PERCENT VOLATILE BY VOLUME (%).....: N/A
EVAPORATION RATE (water =1): slow

SOLUBILITY IN WATER-Negligible.

APPEARANCE AND ODOR INFORMATION-Amber semi-solid with mineral oil odor.

SECTION 5 - PHYSICAL HAZARD DATA

FLASH POINT (Method Used): 360+, COC FLAMMABLE LIMITS : Lel=N/A UEL=N/A

EXTINGUISHING MEDIA-Dry chemical, carbon dioxide, foam, sand or earth.

SPECIAL FIRE FIGHTING PROCEDURES-Self-contained breathing apparatus.

UNUSUAL FIRE AND EXPLOSION HAZARDS-Dense smoke.

INCOMPATIBILITY (Materials To Avoid) -Strong oxidizers such as Chromic Acid, Peroxides, Bromine.

HAZARDOUS DECOMPOSITION PRODUCTS-Oxides of carbon.

05 - 04 - 03CSS-14038

WILL HAZARDOUS POLYMERIZATION OCCUR-No.

CONDITIONS TO AVOID FOR POLYMERIZATION-None known.

IS THE PRODUCT STABLE-Yes.

CONDITIONS TO AVOID FOR STABILITY-None known.

SECTION 6 - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED-Transfer bulk material to another container. Absorb remainder with earth, sand, vermiculite, etc. Sweep up and dispose as solid waster per local, State and Federal regulations. Take precautions to avoid falls as spills will be extremely slippery.

WASTE DISPOSAL METHODS-Consult Federal, State, and local authorities for any disposal of chemical products.

SECTION 7 - EXPOSURE CONTROL INFORMATION

VENTILATION-

LOCAL EXHAUST: Not needed MECHANICAL (General): Not needed OTHER..... N/A

RESPIRATORY PROTECTION-Not needed.

PROTECTIVE GLOVES-Impervious to oils for repeated or constant use.

OTHER PROTECTIVE EQUIPMENT-Safety glasses or chemical goggles. Eyewash canister.

OTHER ENGINEERING CONTROLS-N/I

WORK PRACTICES-N/A.

HYGIENIC PRACTICES-Wash hands before eating or using lavatory facilities.

SECTION 8 - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE-Keep containers closed. Do not store near ignition sources such as stoves, furnaces, welding, etc.

MAINTENANCE PRECAUTIONS-N/A

OTHER PRECAUTIONS-KEEP OUT OF REACH OF CHILDREN!

ADDITIONAL COMMENTS-Shipping Name: Petroleum Oil, not regulated, Class 65.