

SECTION 1 - MANUFACTURER INFORMATION

MANUF/DIST : CHEM-POWER MFG DIV/ FOSTER & CO., INC  
15 Wing Drive EMERGENCY PHONE.....: 973-267-4100  
Cedar Knolls PREPARATION/REVISION DATE: 02/14/02  
NJ 07927  
PREPARER/CONTACT: Gary Adams, Chemist  
LOCATION : Whs 1

TRADE NAME/SYNONYMS...: NO-STICK II  
CHEMICAL NAME/SYNONYMS: Asphalt Release Agent  
CHEMICAL FAMILY.....: Surfactant Solution  
FORMULA.....: Mixture  
PRODUCT CODE.....: 17-80

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS)

\*\*\*\*\*  
\*  
\* HEALTH..... 0 \*  
\* FLAMMABILITY.. 0 \*  
\* REACTIVITY.... 0 \*  
\* PROTECTION.... B \*  
\*\*\*\*\*

SECTION 2 - HAZARDOUS INGREDIENTS

THIS PRODUCT CONTAINS HAZARDOUS INGREDIENTS : YES

CHEMICAL/COMMON NAME	CAS-NUMBER	%	PEL-OSHA	TLV-ACGIH
Oleamine Oxide	14351-50-9	N/I	None est	None est
Ethanol (denatured)	64-17-5	N/I	1000 ppm	1000 ppm
Water	7732-18-5	N/I	None	None
Hydrogen Peroxide	7722-84-1	<0.1	1 PPm	1 PPm

THIS PRODUCT CONTAINS CARCINOGENS (NTP, IARC, or OSHA):NO

CHEMICAL/COMMON NAME	CAS-NUMBER	%	NTP	IARC	OSHA
N/A	N/A	N/A	N/A	N/A	N/A

SECTION 3 - HEALTH HAZARD DATA

HEALTH EFFECTS (Acute And Chronic)-  
This product is very low in hazards from all means of exposure.  
SKIN: Severe overexposure could cause dry skin dermatitis.  
INGESTION: Nausea, indigestion, vomiting.  
EYES: Mild irritant  
INHALATION: Overexposure to mists could cause irritation to respiratory tract.  
PRIMARY ROUTES OF ENTRY-  
Skin, eyes.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE-  
NIL

EMERGENCY FIRST AID PROCEDURES-

EYES & SKIN: Flush with water for 15 minutes. Call physician if irritation persists.

INGESTION: Do not induce vomiting. If conscious, give large amount of milk or water and call physician/ poison center immediately.

**SECTION 4 - CHEMICAL DATA**  
-----

BOILING POINT (F).....: 212	SPECIFIC GRAVITY (WATER=1).....: 0.99
VAPOR PRESSURE (mmHg): N/I	PERCENT VOLATILE BY VOLUME (%): N/I
VAPOR DENSITY (AIR=1): N/I	EVAPORATION RATE (water =1): < 1

SOLUBILITY IN WATER-  
Complete.

APPEARANCE AND ODOR INFORMATION-

Semi-clear, viscous liquid with oleate odor.

**SECTION 5 - PHYSICAL HAZARD DATA**  
-----

FLASH POINT (Method Used): None                      FLAMMABLE LIMITS : Lel=N/A    UEL=N/A

EXTINGUISHING MEDIA-

Alcohol foam, CO2, dry chemical. water fog.

SPECIAL FIRE FIGHTING PROCEDURES-

N/I  
Keep containers cool to prevent explosion.

UNUSUAL FIRE AND EXPLOSION HAZARDS-

Residue after evaporation is combustible.

INCOMPATIBILITY (Materials To Avoid)-

Acids, strong oxidizers.

HAZARDOUS DECOMPOSITION PRODUCTS-

None known.

WILL HAZARDOUS POLYMERIZATION OCCUR-

**No.**

CONDITIONS TO AVOID FOR POLYMERIZATION-

None known.

IS THE PRODUCT STABLE-

Yes.

CONDITIONS TO AVOID FOR STABILITY-  
None known.

SECTION 6 - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED-  
Spills are slippery. Dike and soak up with suitable absorbent. Flush residue with water to sewer. Prevent contamination of ground water.

WASTE DISPOSAL METHODS-  
Consult local authorities.

SECTION 7 - EXPOSURE CONTROL INFORMATION

VENTILATION-

LOCAL EXHAUST: N/A  
SPECIAL.....: N/A

MECHANICAL (General): Maintain TLV  
OTHER.....: N/A

RESPIRATORY PROTECTION-

Not normally needed, NOISH approved if necessary.

PROTECTIVE GLOVES-

Rubber, latex or other impervious material.

OTHER PROTECTIVE EQUIPMENT-

Splashproof goggles.

OTHER ENGINEERING CONTROLS-

N/A

WORK PRACTICES-

N/I

HYGIENIC PRACTICES-

Wash hands before eating or using lavatory facilities.

SECTION 8 - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE-

Keep from repeated freeze-thaw cycles.

MAINTENANCE PRECAUTIONS-

Keep from freezing.

OTHER PRECAUTIONS-

KEEP OUT OF REACH OF CHILDREN!

ADDITIONAL COMMENTS-

Shipping Name: Compound, Cleaning, Liquid, Class 55.