

SECTION 1 - MANUFACTURER INFORMATION

MANUF/DIST : CHEM-POWER MFG DIV/ FOSTER AND COMPANY, INC.
15 Wing Drive EMERGENCY PHONE.....: 973-267-4100
Cedar Knolls PREPARATION/REVISION DATE: 02/14/02
NJ 07927
PREPARER/CONTACT: Gary Adams, Chemist

LOCATION : Whs 1

TRADE NAME/SYNONYMS...: PIPEGRIP
CHEMICAL NAME/SYNONYMS: Pipe Sealant w/ Teflon
CHEMICAL FAMILY.....: Acrylic adhesive
FORMULA.....: Complex mixture
PRODUCT CODE.....: 514-204

HAZARDOUS MATERIAL IDENTIFICATION SYSTEM (HMIS)

* HEALTH..... 1 *
* FLAMMABILITY.. 1 *
* REACTIVITY.... 1 *
* PROTECTION.... 0 *

SECTION 2 - HAZARDOUS INGREDIENTS

THIS PRODUCT CONTAINS HAZARDOUS INGREDIENTS : YES

CHEMICAL/COMMON NAME	CAS-NUMBER	%	PEL-OSHA	TLV-ACGIH
Organic Peroxide	N/ I	<2	N/ I	N/ I

THIS PRODUCT CONTAINS CARCINOGENS (NTP, IARC, or OSHA):NO

CHEMICAL/COMMON NAME	CAS-NUMBER	%	NTP	IARC	OSHA
N/A	N/A	N/A	N/A	N/A	N/A

SECTION 3 - HEALTH HAZARD DATA

HEALTH EFFECTS (Acute And Chronic)-
Considered to be non-irritating to eyes and skin in animal tests. However, may cause dermatitis on prolonged skin contact for sensitive individuals. Also, may cause transient irritation if splashed in eyes.
INGESTION: Considered to be practically non-toxic based on animal tests.
Oral Toxicity: LD-50 >5 g/Kg rat
Skin Irritation: Score = 0.3 (scale 0-8) rabbit.
No information is available concerning Chronic Effects, if any.

PRIMARY ROUTES OF ENTRY-
Skin, eyes.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE-
None known.

EMERGENCY FIRST AID PROCEDURES-

EYE CONTACT: Flush with water and seek medical attention if irritation does not quickly disappear.

SKIN: Wash with soap and water. Consult physician if irritation develops.

INGESTION: If swallowed, do not induce vomiting, consult physician.

SECTION 4 - CHEMICAL DATA

.....

BOILING POINT (F).....: N/A	SPECIFIC GRAVITY (WATER=1).....: 1.03
VAPOR PRESSURE (mmHg): low	PERCENT VOLATILE BY VOLUME (% I.....: Nil
VAPOR DENSITY (AIR=1): >1	EVAPORATION RATE (Butyl Acetate =1): Nil

SOLUBILITY IN WATER-

0.4 % at 20 C.

APPEARANCE AND ODOR INFORMATION-

Thick white liquid with little, if any, odor.

SECTION 5 - PHYSICAL HAZARD DATA

.....

FLASH POINT (Method Used): >200 F TCC FLAMMABLE LIMITS : Lel=N/I UEL=N/I

EXTINGUISHING MEDIA-

Water spray, alcohol foam, Carbon dioxide, dry chemical.

SPECIAL FIRE FIGHTING PROCEDURES-

Cool exposed containers with water.

UNUSUAL FIRE AND EXPLOSION HAZARDS-

Heating may cause polymerization into solid. Pressure build-up may occur with possible rupture of containers.

INCOMPATIBILITY (Materials To Avoid)-

Amines, metals

HAZARDOUS DECOMPOSITION PRODUCTS-

Carbon dioxide, Carbon monoxide.

WILL HAZARDOUS POLYMERIZATION OCCUR-

Not known to occur.

CONDITIONS TO AVOID FOR POLYMERIZATION-

Heat or contact with Alkali, amines or metals which may cause non-violent polymerization.

IS THE PRODUCT STABLE-
Yes

CONDITIONS TO AVOID FOR STABILITY-
Heat and cold.

SECTION 6 - SPILL OR LEAK PROCEDURES
.....

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED-
Scrape up spilled material and containerize. Wash area with water. Large spills not likely in view of small container size. (1.69 fl. oz.)

WASTE DISPOSAL METHODS-
This product is not currently considered a hazardous waste under 40CFR261. Consult Federal, state and local authorities.

SECTION 7 - EXPOSURE CONTROL INFORMATION
.....

VENTILATION-
LOCAL EXHAUST: N/A
SPECIAL.....: N/A
MECHANICAL (General): N/A
OTHER.....: N/A

RESPIRATORY PROTECTION-
Not needed.

PROTECTIVE GLOVES-
Rubber or plastic for persons with sensitive skin.

OTHER PROTECTIVE EQUIPMENT-
None needed.

OTHER ENGINEERING CONTROLS-
None needed.

WORK PRACTICES-
Avoid sloppy use. Use only amount necessary.

HYGIENIC PRACTICES-
Wash hands after using. Keep hands away from face while using this product.

SECTION 8 - SPECIAL PRECAUTIONS
.....

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE-
Store at ambient conditions.

MAINTENANCE PRECAUTIONS-
N/A

06-03-02
CSS-14038

MATERIAL SAFETY DATA SHEET 00116
CHEM-POWER DIV/FOSTER & CO

PAGE 4

OTHER PRECAUTIONS-
N/A

ADDITIONAL COMMENTS-
Shipping Name: Consumer Commodity. Class 55.